

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMUNICATION United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE .	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/992,079	11/19/2001	Robert A. Roth	DP-306071	9447	
75	7590 01/22/2004			EXAMINER	
VINCENT A. CICHOSZ DELPHI TECHNOLOGIES, INC.			RIVELL, JOHN A		
				<del> </del>	
Legal Staff, Mail Code: 480-414-420			ART UNIT	PAPER NUMBER	
P.O. Box 5052			3753		
Troy, MI 48007-5052			DATE MAILED; 01/22/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summan	09/992,079	ROTH, ROBERT A.				
Office Action Summary	Examiner	Art Unit				
	John Rivell	3753				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPI THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a report if NO period for reply is specified above, the maximum statutory period.  - Failure to reply within the set or extended period for reply will, by statues any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	.136(a). In no event, however, may a reply be tir ply within the statutory minimum of thirty (30) day d will apply and will expire SIX (6) MONTHS from te. cause the application to become ABANDONE	mely filed /s will be considered timely. o the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on 11/	20/03(amd), 7/30,11/12,12/4/03 (IL	<u>DS)</u> .				
2a)⊠ This action is <b>FINAL</b> . 2b)□ This	s action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-20 is/are pending in the applicatio	☑ Claim(s) <u>1-20</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-20</u> is/are rejected.	☑ Claim(s) <u>1-20</u> is/are rejected.					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/	or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>12 November 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. §§ 119 and 120						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority documer application from the International Bureation from the International Bureation Acknowledgment is made of a claim for domest since a specific reference was included in the first sentence of the priority document is made of a claim for domest since a specific reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for domest reference was included in the first sentence of the priority document is made of a claim for document is made of a	nts have been received. Ints have been received in Applicate ority documents have been received in Applicate (PCT Rule 17.2(a)). In the certified copies not receive the priority under 35 U.S.C. § 119 (irst sentence of the specification of the priority under 35 U.S.C. § 120 (irst priority under 35 U.S.C. §§ 120 (irst priority under 35	ion No  ed in this National Stage  ed.  e) (to a provisional application)  r in an Application Data Sheet.  ceived.  and/or 121 since a specific				
Attachment(s)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s)</li> </ol>	5) 🔲 Notice of Informal f	/ (PTO-413) Paper No(s) Patent Application (PTO-152)				

**Art Unit: 3753** 

Claims 1-20 remain pending.

Applicant's arguments, see paper no. 6, pages 8-11, filed November 12, 2003, with respect to the rejection(s) of claim(s) 1-20 under 35 §103(a) using Hutchings as a primary reference have been fully considered and are persuasive in view of the now amended claim language including "a valve seat formed on the interior of the housing". Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Wynn (U.S. Pat. No. 4,129,145 cited by applicant).

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wynn (4,129,145) in view of Hoover (4,964,391), further in view of Feinberg (3,234,959).

The patent to Wynn discloses "a check valve... comprising: a valve housing (tubular sleeve 10) adapted to be disposed in an outlet member (flow conduit 40, 41)...; a valve seat (16) formed on an interior surface of said valve housing (10); a valve member (22) disposed in said valve housing (10) and having a closed position (fig. 1b, 1c) to engage said valve seat (16) to prevent (fluid) from flowing through the outlet member (40, 41) and an open position (fig. 1a) to allow (fluid) to flow through the outlet member (40, 41); and said valve member (22) having a (plurality of flow paths) to allow

Art Unit: 3753

flow from said valve member (22) when said valve member is in said open position" as claimed in claim 1.

Thus Wynn discloses all the claimed features with the exception of having utility in a "fuel pump" thus controlling "fuel flow" as well as "a single outlet port" in the valve member.

Firstly, the patent to Hoover discloses that it is known in the art to employ a check valve device 28, located in the outlet conduit of a fuel pump 22 of a vehicle leading to an engine 26 of the vehicle for the purpose of preventing backflow of fuel from the engine to the fuel pump.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to employ the device of Wynn as a check valve device in the outlet conduit of a fuel pump feeding fuel to an engine of a vehicle for the purpose of preventing backflow of fuel from the engine to the fuel pump as recognized by Hoover.

Secondly, the patent to Feinberg discloses that it is known in the art to employ a single radial outlet port 35, or 36 in a reciprocating valve member conducting fluid flow from a hollow interior of the valve member to the exterior of the valve member upon the valve member moving to an open position for the purpose of providing a designed flow rate through the valve (column 3, lines 24-41).

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to employ in Wynn a single port of designed size for the purpose of a designed flow rate through the valve as recognized by Feinberg.

Regarding claims 11 and 19, the above applies equally as well.

Regarding claims 2 and 12, in Wynn "said valve housing (10) has a passageway (passing through seat 16) extending axially therethrough to receive said valve member 22)" as claimed.

Art Unit: 3753

Regarding claims 3 and 13, in Wynn "said valve housing (10) has an enlarged opening at one end (at the left end receiving spring 36 or at the right end downstream of seat surface 16) of said passageway" as claimed.

Regarding claims 4 and 14, in Wynn, as modified by Feinberg, "said valve member (tubular member 28 or 29) has a flow port (the interior bore of each) extending axially therein" as claimed.

Regarding claims 5 and 15, in Wynn, as modified by Feinberg, "said outlet port (35 or 36 as in Feinberg) extend radially in said valve member and communicates with said flow port" as claimed.

Regarding claims 6 and 16, in Wynn "a spring (36 is) disposed about said valve member (22) to urge said seal (38) and said valve member (at the valve head/right end of valve 22) toward said valve seat (16)" as claimed.

Regarding claims 7 and 17 (note above), in Wynn "said spring (36) comprises a coil spring" as claimed.

Regarding claims 8, 11 and 19, in Wynn "said valve member (22) has an annular groove (at surfaces 24 and neck 26) adjacent said valve seat (16)" as claimed.

Regarding claims 9, 11 and 19, in Hutchings "a seal (38 is) disposed in said groove" for contacting said valve seat (16) when said valve member is in said closed position as claimed.

Regarding claim 20, in Wynn, as modified by Feinberg, "said valve member (tubular member 28 or 29 as in Feinberg) has a flow port (the interior bore therethrough) extending axially into one end thereof and said outlet port (35 or 36) extends radially through said valve member and communicates with said flow port" as claimed.

Art Unit: 3753

## Response to Arguments

In response to applicant's arguments that Hoover, Feinberg and now presumably Wynn lack "a fuel pump having an outlet member having a passageway therethrough, a valve housing adapted to be disposed in an outlet member of a fuel pump and a valve member having a single outlet port to allow flow from the valve member when the valve member is in the open position" one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

It is agreed that each reference individually lacks certain claimed features.

Anticipation by the reference of all of the claimed features is not required for a reference to be considered proper under 35 §103(a).

Here however, under 35 §103(a), Wynn is used to illustrate known check valve devices which disclose "a check valve... comprising: a valve housing (tubular sleeve 10) adapted to be disposed in an outlet member (flow conduit 40, 41)...; a valve seat (16) formed on an interior surface of said valve housing (10); a valve member (22) disposed in said valve housing (10) and having a closed position (fig. 1b, 1c) to engage said valve seat (16) to prevent (fluid) from flowing through the outlet member (40, 41) and an open position (fig. 1a) to allow (fluid) to flow through the outlet member (40, 41); and said valve member (22) having a (plurality of flow paths) to allow flow from said valve member (22) when said valve member is in said open position" as claimed in claim 1.

Page 5

Art Unit: 3753

Hoover is used to illustrate that it is known in the check valve art to employ a check valve device 28, located in the outlet conduit of a fuel pump 22 of a vehicle leading to an engine 26 of the vehicle for the purpose of preventing backflow of fuel from the engine to the fuel pump.

Feinberg is used to illustrate that it is known in the check valve art to employ a single radial outlet port 35, or 36 in a reciprocating valve member conducting fluid flow from a hollow interior of the valve member to the exterior of the valve member upon the valve member moving to an open position for the purpose of providing a designed flow rate through the valve.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988)and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, as set forth above, Hoover is used to reasonably suggest to one of ordinary skill in the art the utility of the valve element of Wynn in the environment of a fuel pump feeding fuel to an engine such that the fuel flow from the pump to the engine, in the communication conduit, is one way as provided for by the teaching in Hoover of a one way check valve in the fuel conducting line. Further, Feinberg is used to reasonably suggest to one of ordinary skill in the art the utility of a single valve port in a hollow sleeve type

Art Unit: 3753

reciprocating valve element so that a designed flow rate, determined by the size of the single hole, is employed in a check valve to limit the flow rate in check valve flow devices.

In response to the argument that the "claimed combination is novel and unobvious because the check valve has a mono-port on the pintel, which reduces oscillations and objectionable noise" applicant provides no convincing reasoning why the "mono-port" 35 or 36 on the "valve pintel" 28, 29 of Feinberg, for example, does not similarly reduce "oscillations and objectionable noise" in a one way flow, check valve environment.

## Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Rivell whose telephone number is (703) 308-2599. The examiner can normally be reached on Mon.-Thur. from 6:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on (703) 308-1272. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 3753

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-

0861.

John Rivell
Primary Examiner
Art Unit 3753

Page 8

j.r.